



Premium Direct Vent Fireplace Systems

MAJESTIC 

Premium Direct Vent Fireplace Systems

MARQUIS CLEAR VIEW

The 400/500DVKHL from Majestic is changing the face of fireplace design. Its louverless clean-face combined with an expansive viewing area ensures that the incredibly life-like flames are the true focal point in any room. Designed to suit any décor and offered in two standard sizes, the Marquis ClearView from Majestic is right at home regardless of taste or style.

The perfect fire from any angle: no glare, non-reflective ceramic glass provides the clearest view available.

500DVKHL shown on cover with Tavern Brown Firebrick



Marquis 400DVKHL with Cottage Red Firebrick and optional filigree doors

Give people a place to gather – make fire the focal point of your room again with these premium direct vent fireplaces from Majestic.

STANDARD FEATURES:

- Available in two sizes: 32" opening (400DVKHL) and 36" opening (500DVKHL)
- Clear-View ceramic glass: viewing area of 960 square inches (400DVKHL) and 1080 square inches (500DVKHL)
- Max BTU output: 40,000 (400DVKHL) and 50,000 (500DVKHL)
- Ember bed burner with fiber ceramic logs
- Accent light provided standard with manual dimmer control
- Top vent with 5" x 8" direct vent pipe
- Fits chases with a 24" inside depth
- FE (fireplace efficiency as per CSA P4)
- Natural gas and propane gas field convertible
- Variable Hi/Lo flame adjustment



Accent Lighting



Marquis 500DVKHL
with Olde English Firebrick

FIREBRICK OPTIONS:

- Herringbone firebrick in Olde English; or traditional firebrick in Tavern Brown and Cottage Red (purchase of brick is required for all models).



Tavern Brown
Firebrick



Cottage Red
Firebrick



Olde English
Firebrick

Fire, and more, at your fingertips! TOTAL SIGNATURE COMMAND™ SYSTEM.

No other system offers so many available features as the Total Signature Command™ (TSC) System, now available on all Marquis fireplaces. Now, from one hand held, battery controlled remote you can light the pilot and control three step flame adjustment without getting up from your couch. Enjoy A/C functionality with battery back up, adjust the blower speed, accent light, and control rear burner shut off. The TSC system also includes cold climate pilot options and a touch button command center. (Remote control is included with the purchase of a DVKHLTSC model fireplace system.)



Premium Direct Vent Fireplace Systems

Model	400DVKHL	500DVKHL
BTU / HR	28,500 - 40,000 NG / 30,500 - 40,000 LP	32,500 - 50,000 NG / 38,500 - 50,000 LP
FE Ratings (Fireplace Efficiency)	69.6% NG / 78.2% LP	67.6% NG / 69.8% LP
Thermal Efficiency	Up to 80%	Up to 80%
Dimensions (Actual)	44 15/16"W x 44 3/8"H x 23 7/8"D	48 15/16"W x 44 3/8"H x 23 7/8"D
Dimensions (Framing)	45 5/16"W x 44 3/4"H x 23 7/8"D	49 5/16"W x 44 3/4"H x 23 7/8"D
Viewing Area	30"H x 32"W (960sq.in.)	30"H x 36"W (1080sq.in.)
Blower	Optional	Optional

Optional Accessories

- Herringbone firebrick in Olde English; or traditional firebrick in Tavern Brown and Cottage Red (purchase of brick is required for all models)
- Filigree door panels
- Blower
- Forged andirons
- Cast andirons
- Ambient Technologies® remote controls



Filigree door option



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Variable thermostat controlled dual forced air blower (160 cfm each)



MAJESTIC

A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.majesticproducts.com

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2009 Monessen Hearth Systems Co.